

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Tonis Kasvand

Docket: 8673-118 (8061-603 SJP:kl)

Serial No.: 09/832,619

Dated: June 14, 2005

Filed: April 11, 2001

For: DYNAMIC RULE SETS FOR GENERATED LOGS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


SUBMISSION OF PRIORITY DOCUMENT

Sir:

Attached herewith is a certified copy of United Kingdom No. 0008952.4 filed April 12, 2000 from which priority is claimed in the above-identified application under 35 U.S.C. §119.

Respectfully submitted,

F. CHAU & ASSOCIATES, LLC



Frank Chau
Reg. No. 34,136
Attorney for Applicant(s)

F. CHAU & ASSOCIATES, LLC
130 Woodbury Road
Woodbury, NY 11797
Tel.: (516) 692-8888
Fax: (516) 692-8889

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postpaid in an envelope, addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on June 14, 2005.

Dated: 6/14/05



Frank Chau

THIS PAGE BLANK (USPTO)



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1985 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., p.l.c. (Welsh), or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 20 April 2001

CERTIFIED COPY OF
PRIORITY DOCUMENT

THIS PAGE BLANK (USPTO)

Patents Form 1/77

The
Patent
Office12APR00 E529069-1 002924
P01/7700 0.00-0008952.4

THE PATENT OFFICE

A

Request for grant of a patent

(See the notes on the back of this form. You can also get
an explanatory leaflet from the Patent Office to help you
fill in this form.)

12 APR 2000

RECEIVED BY FAX

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

12 APR 2000

Your reference

625 P/3032(7383)

2. Patent application number
(The Patent Office will fill in this part)

0008952.4

3. Full name, address and postcode of the or
each applicant (underline all surnames)

Mitel Corporation
350 Legget Drive
PO Box 13089
Kanata, Ontario
K2K 2W7, Canada

Patents ADP number (if you know it)

607671002

If the applicant is a corporate body, given
the country/state of its incorporation

Canada

4. Title of the invention

DYNAMIC RULE SETS FOR GENERATED LOGS

5. Name of your agent

Global
Change~~Stephenson Harwood~~Kilburn & Strada
20 Red Lion Street
London
WC1R 4PJ"Address for service" in the United
Kingdom to which all correspondence
should be sent~~One, St. Paul's Churchyard
London
EC4M 8SH~~

Patents ADP number

05888938001

6. If you are declaring priority from one or
more earlier patent applications, give the
country and the date of filing of the or of
each of these earlier applications and (if you
know it) the or each application number

Country

Priority application number

Date of filing
(day/month/year)

7. If this application is divided or otherwise
derived from an earlier UK application,
give the number and the filing date of the
earlier application

Number of earlier application

Date of fil
(day/month/year)

P1\2015730.1

12 APR, '00

16:54

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? Yes
(Answer 'Yes' if:
a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not

THE PATENT OFFICE
A
12 APR 2000
RECEIVED BY FAX

PI\2015730.1

Received 12-04-00 16:52

From-0171 6060822


To-THE PATENT OFFICE

Page 04

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.

Continuation sheets of this form

Description	4	/
Claims(s)	3	/
Abstract	1	/
Drawing(s)	5	/



10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

1

Request for preliminary examination and search (Patents Form 9/77)

1

Request for substantive examination (Patents Form 10/77)

Any other documents

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date: 12th April 2000

Tibor Z Gold

12. Name and daytime telephone number of person to contact in the United Kingdom

TIBOR Z GOLD
0171 329-2115

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

P1\2015730.1

THIS PAGE BLANK (USPTO)

Dynamic Rule Sets for Generated LogsField of the Invention

5 This invention relates in general to network diagnostics, and more particularly to a network administration system for automatically activating dynamic rule sets in response to satisfying the criteria of existing static rule sets of error logs in a network.

Background of the Invention

10

 It is well known in traditional computer and digital communication networks for technicians to respond to the generation of error logs by notifying affected users of system problems, analyzing and then fixing the problems using an assortment of software commands and/or tools. The use of such software commands is often
15 repetitive and requires the technician to manually enter the commands upon each observation of a specific log. Thousands of logs can be generated by a single problem. For example, if a T1 line goes down, error logs could be generated by thousands of phones that cannot find a dial tone.

20

 Therefore, according to the prior art, automatic filtering of error logs has been effected through the use of "rule sets" to determine if a combination of logs satisfies a given criteria. One example of such an automated process is a product from Plexis
(<http://www.triadhc.com/edi.shtml>) called Plexis EDI Toolkit. If the criteria is
25 satisfied, it is known in the art either to generate a further log or to provide an overall summary for describing the problem to the technician. Thus, it is known to generate Higher Level Logs (HLL) from Lower Level Logs (LLL) in response to
predetermined rule sets being satisfied. The Lower Level Logs (LLL) are generated by network applications or devices. Such systems are valuable because the HLLs help to explain to the system administrator/designer what is really going on in the system.

30

 There are instances where HLL's generate more HLL logs, or combinations of LLL's and HLL's generate new HLL's. According to the prior art, these rule sets are either manually applied by the technician as required, which can be a time consuming and complicated task where many logs have been generated, or the rule sets remain

activated at all times, in which case analysis of the logs becomes time consuming since many rule sets need to be examined.

Summary of the Invention

5

According to the present invention, a network administration system is provided for automatically activating and deactivating dynamic rule sets when specified static rule sets have been satisfied. The static rule sets whose criteria have been satisfied by the generation of predetermined error logs trigger activation or
10 deactivation of the dynamic rule sets. The automatic activation and deactivation of dynamic rule sets alleviates time consuming manual application of rule sets. The causal activation and deactivation of the dynamic rule sets only when other rule set criteria have been satisfied reduces the number of rule sets when compared to the prior art approach of activating all rule sets at all times.

15

The system of the present invention may advantageously be applied to any application that generates logs and is monitored by rule sets, to allow dynamic variations in monitoring when different problems arise, and to set explicit instructions for specific circumstances of logs.

20

Brief Description of the Drawings

A detailed description of the preferred embodiment is set forth herein below with reference to the following drawings, in which:

25

Figure 1 is a block diagram of an exemplary network incorporating the system of the present invention;

Figure 2 is a table of a set of rules that have been defined for use in the
30 network of Figure 1;

Figure 3 is a table showing an exemplary list of logs generated by the network of Figure 1;

Figure 4 shows a graphical user interface for entering dynamic rule sets; and

Figure 5 is a flowchart showing activation and deactivation of dynamic rule

5 sets.

Detailed Description of the Preferred Embodiment

Figure 1 shows a typical network comprising a plurality of phones (P1 to P3)
10 connected to a server implemented PBX (PBX 1), a further phone P1 connected to a
client server C1, both the client C1 and PBX 1 being connected to a PBX2. The PBX
2 is connected to a T1 trunk in a well known manner. Each of the devices shown in
Figure 1, with the exception of the trunk, has the capability of generating logs to
inform a technician of the device status. The network configuration is for illustration
15 purposes only, and may incorporate a host of other devices and networks.

As indicated above, Figure 2 demonstrates a set of rule sets that are defined
for use in the network in Figure 1, and Figure 3 shows a typical list of logs (HLL's
and LLL's) that are generated from the network in Figure 1 as well as associated
20 explanations of how dynamic rule sets are created. The explanation does not form part
of the error log, which is restricted to the Log ID, Time Generated and Brief
Description. The system parses the Brief Description in order to identify the source of
a particular error log.

25 According to the invention, a network administration system is provided for
programming the activation and deactivation of dynamic rule sets in response to
network conditions. Thus, with reference to Figure 4, a user interface is provided for
activating and deactivating certain rule sets (identified by rule set Ids, such as
RSID001, RSID02, etc), and associating rule set activation and deactivation keys.
30 Thus, the rule set identified by RSID001 has been activated by the user and
programmed to activate rules sets RSID004 and RS005 when its rule set criteria have
been satisfied (i.e. LogP6000 or LogP6001 or LogP6002) have been received from
two or more phones). When the criteria for rule set RSID001 have been satisfied,
HLL001 will be generated and the Rule Set Status for RSID004 and RSID005 will

change in Figure 2 from OFF to ON. Likewise, when the rule set criteria for RSID004 has been satisfied (i.e. more than one hundred system error logs have been counted), HL004 is generated. The activated rule sets remain active until reset by the user, by another rule set, or by timing out. According to the scenario of Figures 2 - 4, RSID006 has been deactivated by the user. However, if activated by the user this rule set monitors the faulty T1 trunk for activity (i.e. the rule set is Search for > 2 ping T1 logs). The log details of Figure 3 shown LOGT001 being generated three times in succession, thereby satisfying the RSID006 rule set which, according to the user configuration of Figures 2 and 4, results in self-deactivation of the rule set (as well as deactivation of rule set RSID007).

The activation and deactivation of rule sets is triggered by using software tools (e.g. Visual Basic, C++) to read and compare the logs to active rule sets, as shown in Figure 5. If a rule set is fully satisfied, its rule set ID is compared with the rule set IDs of any associated activation keys (as programmed by the user). If the rule set has activation keys programmed, the first such activation key is read, the status of the specified rule set is changed, and remaining activation keys are read and changed in the same manner until no activation keys remain for the rule set.

Exemplary pseudo-code of the process for implementing the network administration system of the present invention is as follows:

```

Dynamic rule sets function prog
  Retrieve log
  Compare logs with rule sets
  If rule set fully satisfied
    If rule set has activation keys
      Go to first activation key
      While activation keys exist
        Set status of specified rule set id
        Go to next activation key
      endwhile
    endif
  endif
End dynamic rule sets function prog

```

Alternatives and modifications of the invention are possible within the sphere and scope as set forth in the claims appended hereto.

What is claimed is:

1. A network administration system for automatically activating and deactivating
5 dynamic rule sets in response to receipt of error logs from network devices and applications, comprising:

10 a user interface for manually activating and deactivating rule sets having defined rule set criteria and for associating rule set activation keys with said rule sets, wherein said activation keys associate changes in status of said dynamic rule sets; and

15 program means for receiving said error logs and for each of said rule sets in connection with which activation keys have been associated and whose criteria have been satisfied by said error logs, reading said activation keys and one of either activating or deactivating said dynamic rule sets in accordance with said associated changes in status.

2. The network administration system of claim 1, wherein said program means is implemented via pseudo-code comprising:

20
Dynamic rule sets function prog
Retrieve log
Compare logs with rule sets
If rule set fully satisfied
25 If rule set has activation keys
Go to first activation key
While activation keys exist
Set status of specified rule set id
Go to next activation key
30 endwhile
endif
endif

35 End dynamic rule sets function prog

3. A method of activating and deactivating dynamic rule sets in response to receipt of error logs from network devices and applications, comprising the steps of:

activating predetermined rule sets having defined rule set criteria;

associating rule set activation keys with said predetermined rule sets, wherein said activation keys associate changes in status of said dynamic rule sets;

5 receiving said error logs; and

10 comparing said error logs with said predetermined rule sets and for each of said rule sets in connection with which activation keys have been associated and whose criteria have been satisfied by said error logs, reading said activation keys and one of either activating or deactivating said dynamic rule sets in accordance with said associated changes in status.

4. A software product for automatically activating and deactivating dynamic rule sets in response to receipt of error logs from network devices and applications,
15 comprising:

20 a user interface for manually activating and deactivating rule sets having defined rule set criteria and for associating rule set activation keys with said rule sets, wherein said activation keys associate changes in status of said dynamic rule sets; and

25 program means for receiving said error logs and for each of said rule sets in connection with which activation keys have been associated and whose criteria have been satisfied by said error logs, reading said activation keys and one of either activating or deactivating said dynamic rule sets in accordance with said associated changes in status.

5. The software product of claim 4, wherein said program means is implemented via pseudo-code comprising:

30 Dynamic rule sets function prog
Retrieve log
Compare logs with rule sets
If rule set fully satisfied
If rule set has activation keys
35 Go to first activation key
While activation keys exist

7

Set status of specified rule set id
Go to next activation key

endwhile

endif

5

endif

End dynamic rule sets function prog

AbstractDynamic Rule Sets for Generated Logs

5 A network administration system for automatically activating and deactivating dynamic rule sets in response to receipt of error logs from network devices and applications, comprising a user interface for manually activating and deactivating rule sets having defined rule set criteria and for associating rule set activation keys with the rule sets, wherein said activation keys associate changes in status of the dynamic rule sets, and a program for receiving the error logs and for each of the rule sets in connection with which activation keys have been associated and whose criteria have been satisfied by the error logs, reading the activation keys and one of either activating or deactivating the dynamic rule sets in accordance with the associated changes in status. (Fig. 1)

10




Figure 1

1/5

THIS PAGE BLANK (USPTO)

HLL ID	Rule Set Status	Rule ID	Rule Set Activation Keys		Rule Set Details	Brief Explanation
HLL001	ON	RSID001	RSID004	ON	(LogP6000 or LogP6001 or LogP6002) from 2 or more phones.	Two or more phones are not receiving full services
			RSID005	ON		
HLL002	ON	RSID002	RSID005	ON	LogPBX2000 + LogC3000	Loss of services. Something is wrong with PBX2
HLL003	OFF	RSID003	RSID007	ON	HLL001 + HLL002	Loss of services. Something is wrong with T1 trunk.
HLL004	OFF	RSID004			Count all error logs generated from network up to 100 errors.	Count errors on system. If over 100 errors, issue log HLL004.
HLL005	OFF	RSID005			Count features that are missing up to 10 features	Count features that are missing. If over 10 features, issue log HLL005.
	OFF	RSID006	RSID006	OFF	Search for >2 ping T1 Logs.	Continue to monitor bad T1 trunk for any signs of life.
			RSID007	OFF		
	OFF	RSID007	RSID006	OFF	LogT1003	Status of T1 trunk good.
			RSID007	OFF		

Figure 2

2/5



THIS PAGE BLANK (USPTO)

Log ID	Time Generated	Brief Description	Rule Set Explanation
LogP6000	Feb. 29, 2000 14:23:04:12	No dial tone for phone P2.	
LogPBX2000	Feb. 29, 2000 14:23:04:17	PBX 1 is not receiving full services.	
LogP6001	Feb. 29, 2000 14:23:04:27	Reduction of features available for phone P4.	
LogC3000	Feb. 29, 2000 14:23:04:29	Client C1 cannot give services to phones.	
HLL002	Feb. 29, 2000 14:23:04:32	Loss of services on network.	Rule ID RSID002 was satisfied and created this log HLL002. When it created this log it also activated the rule set RSID005.
LogP6002	Feb. 29, 2000 14:23:05:00	No services available for phone P1.	
HLL001	Feb. 29, 2000 14:23:05:03	PBX 1 is not providing full services to phones.	Rule ID RSID001 was satisfied and created this log HLL001. When it created this log it also activated the rule set RSID005.
HLL003	Feb. 29, 2000 14:23:05:05	Trunk T1 is unavailable.	
LOGT1001	Feb. 29, 2000 15:12:00:03	Trunk T1 pinging PBX.	
LOGT1001	Feb. 29, 2000 15:12:00:05	Trunk T1 pinging PBX.	
LOGT1001	Feb. 29, 2000 15:12:00:07	Trunk T1 pinging PBX.	Rule ID RSID006 was satisfied and deactivated the rule RSID006 (itself) and RSID007.
LOGT1003	Feb. 29, 2000 15:13:15:25	Trunk T1 is in full service	

Figure 3

3/5

THIS PAGE BLANK (USPTO)

Smart Tools
File Edit View Tools...etc

Dynamic Rule Sets Entry Page

Rule Set ID	Rule Set Status	Rule Set Activation Key	
		Rule Set ID	Change Status
RSID001	ON	RSID004	ON
		RSID005	ON
RSID002	ON	RSID005	ON
RSID003	OFF	RSID007	ON
RSID004	OFF		
RSID005	OFF		
RSID006	OFF	RSID006	OFF
		RSID007	OFF
RSID007	OFF	RSID008	OFF
		RSID007	OFF

Figure 4

THIS PAGE BLANK (USPTO)

13




Figure 5

5/5

THIS PAGE BLANK (USPTO)